

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

**Amendments to the Specification**

**Please replace paragraph [0023] with the following rewritten paragraph:**

[0023] The thrombolytic agent can be used alone or it can be added to any suitable solution or medium. Preferably, for purposes of dilution and ease of use, the thrombolytic agent is used in combination with, or as part of, a suitable solution. For example, where the thrombolytic agent is to be used for perfusing, flushing or washing an organ, the thrombolytic agent is reconstituted as directed and preferably mixed with or otherwise added to a suitable perfusion, flushing or washing solution. Any suitable perfusion solution can be used such as, but not limited to, ViaSpan™ (UW solution marketed by duPont), Belzer Machine Perfusion Solution (Belzer MPS available from Organ Recovery Systems), Custodial® (cardioplegia solution from Sangstat), EuroCollins, Lactated Ringers, Physiological Saline, or other crystalloid solutions containing ~~oneotic~~-osmotic agents such as dextran and HES (hydroxyethyl starch), solutions described in U.S. Patent Application No. 09/628,311, filed July 28, 2000, the entire disclosure of which is hereby incorporated by reference, mixtures thereof, and the like. These solutions may also be used to wash or flush organs when perfusing an organ would not be practical.

**Please replace paragraph [0043] with the following rewritten paragraph:**

[0043] By way of Example only, and without being limited thereto, the method of the present invention is described as practiced on a human kidney. The kidney can be harvested from the donor under beating heart conditions. Following harvesting, the kidney can be flushed, such as with any suitable solution or material including, but not limited to ViaSpan™ (UW solution marketed by duPont), or other crystalloid solutions containing ~~oneotic~~-osmotic agents such as dextran, HES (hydroxyethyl starch), solutions described in U.S. Patent

Application 09/628,311, filed July 28, 2000, the entire disclosure of which is hereby incorporated by reference, or the like.